

L Number	Hits	Search Text	DB	Time stamp
-	18	@ad<20000703 and password and (split share) near2 key and client with password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/27 09:26
-	2	@ad<20000703 and password and (split share) near2 key with password and client with password and password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/27 09:26
-	2	@ad<20000703 and password and (split share) near2 key with password and client with password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/09/27 10:16
-	12	@ad<20000703 and jablon.inv.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:07
-	3	6226383.URPN.	USPAT	2004/09/27 10:17
-	0	6792533.URPN.	USPAT	2004/09/27 10:19
-	2	("5953424" "6226383").PN.	USPAT	2004/09/27 10:20
-	19	yaksha	USPAT	2004/09/27 10:21
-	12	yaksha and password	USPAT	2004/09/27 10:22
-	2	@ad<20000703 and server with (portion) near2 key and client with password	USPAT	2004/09/27 10:37
-	6	@ad<20000703 and server with (portion) near2 key and password with portion	USPAT	2004/09/27 10:25
-	7	@ad<20000703 and server with (part portion) near2 key and password with portion	USPAT	2004/09/27 10:26
-	9	@ad<20000703 and server with (part portion) near2 key and password with (portion part)	USPAT	2004/09/27 10:28
-	4	@ad<20000703 and server with (part portion) near2 key and password near3 (portion part)	USPAT	2004/09/27 10:31
-	12	@ad<20000703 and (plurality several many) near2 (security authentication verification) near2 servers!	USPAT	2004/09/27 10:35
-	2	("5544322" "5832211").pn.	USPAT	2004/09/27 10:35
-	44	@ad<20000703 and server with (portion) near2 key	USPAT	2004/09/27 10:38
-	80	@ad<20000703 and server with (portion part) near2 key	USPAT	2004/09/27 10:38
-	42	@ad<20000703 and server with (portion part) near2 key) and password	USPAT	2004/09/27 10:38
-	4771118	@ad<20000703	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 13:49
-	2232	@ad<20000703 and password with servers	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 13:51
-	87	((@ad<20000703 and password with servers) and combine\$2 with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 13:50
-	56	((@ad<20000703 and password with servers) and combine\$2 with key) and authentication	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 13:50
-	37	@ad<20000703 and password and key with split and key with combine\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 14:43
-	62	@ad<20000703 and password with authentication and master adj key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 14:44

-	1	@ad<20000703 and password with authentication and master adj key with combine\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 14:44
-	4	@ad<20000703 and password with authentication and master adj key with combin\$6	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:28
-	140	@ad<20000703 and 380/47.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:44
-	14	(@ad<20000703 and 380/47.ccls.) and password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:30
-	47	@ad<20000703 and distributed with key with generation	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:31
-	7	@ad<20000703 and distributed with key with generation and password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:32
-	2	@ad<20000703 and password with random with server and client same combin\$5 with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:37
-	10	@ad<20000703 and password with random and client same combin\$5 with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:38
-	11	@ad<20000703 and password with random and client same (combin\$5 portion pieces) near4 key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:38
-	169	@ad<20000703 and 380/262.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:48
-	2	(@ad<20000703 and 380/262.ccls.) and random with password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:45
-	29	(@ad<20000703 and 380/262.ccls.) and password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:45
-	172	@ad<20000703 and 713/194.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:52
-	44	(@ad<20000703 and 713/194.ccls.) and password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:48
-	182	@ad<20000703 and 713/183.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 08:42
-	77	(@ad<20000703 and 713/183.ccls.) and password with key	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:52
-	28	((@ad<20000703 and 713/183.ccls.) and password with key) and password with (random nonce)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/18 15:52
-	3	6226383.URPN.	USPAT	2004/10/19 09:02

-	4771346	@ad<20000703	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:07
-	0	@ad<20000703 and key with escrow with encrypted with client and key near2 (split portion combin\$5 piece) with servers!	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:08
-	1	@ad<20000703 and encrypted with client and key near2 (split portion combin\$5 piece) with servers!	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:22
-	144	@ad<20000703 and key adj escrow	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:22
-	149	@ad<20000703 and key adj escrow\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:23
-	5	((@ad<20000703 and key adj escrow\$2) and password) and (random nonce) with password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 09:23
-	65	(@ad<20000703 and key adj escrow\$2) and password	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 15:38
-	31	(@ad<20000703 and key adj escrow\$2) and (timestamp time adj stamp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 15:38
-	35	(@ad<20000703 and key adj escrow\$2) and (timestamp time adj stamp\$2)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/19 15:38
-	4771346	@ad<20000703	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 08:43
-	25	@ad<20000703 and password and secret and server with (timestamp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 08:46
-	58	@ad<20000703 and password and secret and server with (timestamp time adj stamp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 09:02
-	9	@ad<20000703 and password and secret and server with (timestamp time adj stamp) and replay adj attack	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 09:05
-	79	@ad<20000703 and kerberos and replay	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 09:05
-	53	@ad<20000703 and kerberos and replay and (timestamp time adj stamp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 12:54
-	1	@ad<20000703 and increments with (bad fail\$2) near3 (login log-in)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 09:49
-	2	@ad<20000703 and increments with (bad fail\$4) near3 (login log-in)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 09:49
-	2	@ad<20000703 and increments with (bad invalid unauthorized fail\$4) near3 (login log-in)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 09:52

-	16	@ad<20000703 and server with (save\$2 stor\$5) same replay and (timestamp time adj stamp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 13:44
-	0	@ad<20000703 and kerberos and stale with delete	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 13:45
-	1	@ad<20000703 and kerberos and (stale expir\$5) with delete	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 13:45
-	24	@ad<20000703 and password and request same (stale expir\$5) with delete	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:36
-	10	(@ad<20000703 and password and request same (stale expir\$5) with delete) and (timestamp time adj stamp)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:34
-	0	@ad<20000703 and password and (stale expir\$5) with delete same timestamp	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:38
-	1	@ad<20000703 and password and (stale expir\$5 time) with delete same timestamp	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:52
-	68	@ad<20000703 and password and timestamp near2 (stor\$5 record\$3 save\$2)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:52
-	24	@ad<20000703 and password and timestamp near2 (stor\$5 record\$3 save\$2) and authentication	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:59
-	2	@ad<20000703 and password and timestamp near2 (login)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 14:59
-	3	@ad<20000703 and password and timestamp near4 (login)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 15:02
-	39	@ad<20000703 and password and timestamp with (login authenticat\$5)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/10/20 15:03